

Dometic

The world leaders in silent absorption refrigeration. Dometic refrigerators are custom designed for caravans, campers, motorhomes and boats.

Features:

- Famous 3 way silent operation - LP Gas, 12V and 240v
- Performance enhanced cooling units - designed and manufactured for harsh Australian conditions
- Friendly to environment - CFC and Freon free
- Automatic flame failure device shuts off gas if flame is extinguished
- Magnetic door seal and travel latch which secures doors during travel
- Exclusive nylon "finger" bottle or can retainers
- Separate evaporator for food and freezer compartments on all 2 door models
- 24 month warranty and Australia wide network of Dometic trained service outlets

Dometic RM4211 3 WAY REFRIGERATOR/FREEZER



Top controls
618mm (h) 474mm (d) 486mm (w)
Weight: 20kg
Capacity: 60ltr (Incl. Freezer 3.7ltr)
Door: Changeable, right to left

003186

Dometic RM7401 3 WAY REFRIGERATOR/FREEZER



New curved volume doors allows more food to be stored plus manual energy selector.

Top controls
805.5mm (h) 536mm (d) 525mm (w)
Weight: 28kg
Capacity: 100ltr (Incl. Freezer 12ltr)
Door: Changeable, right to left

003184

Dometic RM2553 3 WAY REFRIGERATOR/FREEZER



This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Top controls
1104mm (h) 627mm (d) 632mm (w)
Weight: 46kg
Capacity: 150ltr (Incl. Freezer 15ltr)
Door: No exterior door panel

003190

Dometic RM2350 3 WAY REFRIGERATOR/FREEZER



This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Top controls
766mm (h) 565mm (d) 550mm (w)
Weight: 29kg
Capacity: 90ltr (Incl. Freezer 11ltr)
Door: No exterior door panel

003187

Dometic RM2453 3 WAY REFRIGERATOR/FREEZER



This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Top controls
948mm (h) 627mm (d) 632mm (w)
Weight: 41kg
Capacity: 110ltr (Incl. Freezer 15ltr)
Door: No exterior door panel

003189

Dometic RM4601 3 WAY REFRIGERATOR/FREEZER



This model has no exterior skin. It has wide metal mounting flanges for built-in application.

Bottom controls
1427mm (h) 668mm (d) 632mm (w)
Weight: 61.5kg
Capacity: 186ltr (Incl. Freezer 47ltr)
Doors: No exterior door panels

003193

Dometic RGE410 2 WAY REFRIGERATOR/FREEZER




LP Gas/ 240v. This model is free-standing.

1612mm (h) 623mm (d) 592mm (w)
Weight: 73kg
Capacity: 220ltr (Incl. Freezer 45ltr)

003194


Dometic FLUE VENT KIT RM4200-RM4400



Baffled ventilation system for use with small refrigerators RM4211 - RM7401
5 piece.

016580


Dometic ROOF FRIDGE VENT COVER AND BASE



Sturdy plastic, aerodynamic design, for use with all Dometic refrigerators/freezers. Cut out size 130mm x 590mm. Sold in two parts.

Vent cap **016564**
Vent base **016565**

Dometic FLUE VENT KIT



Used to vent warm air from the cooling unit at the rear of caravan/marine refrigerators into the atmosphere. This allows the unit to work efficiently.

This ventilation system features two mounting frames and deep ventilation grills which enables simple installation and removal of the vents for easier service and access to the refrigerator. The exhaust outlet is integrated into the top ventilation.

FLUE VENT KIT SPARES

Insert only to suit new style vent **016568**

Lower frame and vent to suit new style **038725**

We stock a range of spare parts for
Dometic
refrigerators. Please contact Camec for more information.

Dometic FINCH B533 3 WAY CAMP FRIDGE



Lightweight and economical to run with robust colour bond steel cabinet.

445mm (h) 530mm (w) 460mm (d)
Weight: 15kg
Capacity: 33ltr approx.

003181

Dometic CHESCOLD F400 3 WAY REFRIGERATOR/FREEZER



The "Explorer" has moulded cabinet of outstanding quality and modern finish.

500mm (h) 610mm (W) 510mm (d)
Weight: 23kg
Capacity: 39 ltr approx.

003179

Dometic CHESCOLD RC1180 3 WAY REFRIGERATOR/FREEZER



The Combi Box has a removable internal divider which splits the unit into one compartment for refrigeration and another for freezing. Without the divider the whole unit becomes a refrigerator.

525mm (h) 665mm (w) 505mm (d)
Weight: 25kg
Capacity: 50 ltr approx.
Refrigerator: 30 ltr, Freezer: 16 ltr approx

003180



**FRIGO 12/24v FRIDGE/
FREEZERS**
INTERNAL COMPRESSOR



C60i



C85i



C62i

Built in fridge/freezers suitable for RV and marine use complete with a "Nautic" front operated lock. Door is interchangeable.

C60i
615mm (h) 460mm (d) 470mm (w)
Weight: 15.8kg
Capacity: 60 ltr

002984

C85i
785mm (h) 470mm (d) 485mm (w)
Weight: 16.1kg
Capacity: 90 ltr

002987

C115i
765mm (h) 550mm (d) 525mm (w)
Weight: 21.2kg
Capacity: 118 ltr

002971

C115i USA
Same as C115i but with a flush fitting frame
002999

C62iSX
Dimensions same as the C62i but stainless steel.
002997



NAUTIC LOCK



A feature of many Vitrifrigo models, the Nautic lock allows the refrigerator door to be installed flush with the cabinet as the lock is operated from the front.
003112



**FRIGO 12/24v FRIDGE/
FREEZERS**
EXTERNAL COMPRESSOR



C45L



C75L



C130L

Built in fridge/freezers with external cooling units which allow the compressor to be located in a cupboard or other convenient place with sufficient ventilation. Length of connection pipe is approx. 1.6m. A "Nautic" front operated lock.

C45L
544mm (h) 407mm (d) 390mm (w)
Weight: 16.1kg
Capacity: 45 ltr

002982

C75L
620mm (h) 467mm (d) 470mm (w)
Weight: 21.2kg
Capacity: 75 ltr

002986

C130L
765mm (h) 572mm (d) 525mm (w)
Weight: 27.4kg
Capacity: 133 ltr

002975

C130L Fridge Only
No freezer compartment
Dimensions same as C130L
002976

C130LX
Stainless steel with same dimensions as C130L
002978



**FRIGO ICEMAKER
IM CLASSIC HYDRO**



Internal compressor. Can produce 7kg of ice in 24 hours. Connects to plumbing system. Stainless steel finish with flush mounted frame.

633mm (h) 432mm (d) 358mm (w)
Weight: 25kg
Capacity: 24ltr

240v 002967

110v 002968



**FRIGO
FREEZERS ONLY**
EXTERNAL COMPRESSOR



C110BT

Freezer only - stainless steel, aluminium internal finish fitted and a "Nautic" front operated lock. Suitable for marine use.

C110BT
765mm (h) 572mm (d) 525mm (w)
Weight: 41.2kg
Capacity: 108ltr

002970

C110BTUSA
Dimension as for C110BT but with flush fitting frame.

002998



COOLING UNITS



To suit Vitrifrigo evaporator plates. Stainless steel base and teflon mounts.

BD35 Compressor 003006

BD50 Compressor 003007



FRIGO 12/24v 2-DOOR FRIDGE/FREEZER 150L



DP150i

Large capacity fridge/freezer fitted with a safe and practical swing lock door .

1095mm (h) 580mm (d) 525mm (w)
Weight: 38.8kg
Capacity: 150 ltr

002989



FRIGO 12/24v 2-DOOR FRIDGE/FREEZER 230L



Large capacity fridge/freezers fitted with the Nautic front operated lock and a flush mounted frame.

DP2600

1355mm (h) 620mm (d) 590mm (w)
Weight: 64.5kg
Capacity: 230 ltr

002990

DP2600X

Stainless steel version of DP2600

002991



AIR 10 EVAPORATOR



Cooling is rapid and evenly distributed. Suitable for volumes up to 200 litres. **003031**



FRIGO S/STEEL 12/24v DRAWER FRIDGE/FREEZERS



DW180 Fridge Only

2 Drawers
830mm (h) 542mm (d) 607mm (w)
Weight: 55kg
Capacity: 145 ltr (65 ltr + 80 ltr)

002992

DW180 Fridge/Freezer

Dimensions same as DW180

002993

DW180 Freezer Only

Dimensions same as DW180

033871

DW70 Freezer Only

1 Drawer
462mm (h) 542mm (d) 607mm (w)
Weight: 26
Capacity: 75 ltr

002994

DW70 Fridge Only

Dimensions same as DW70

034784



EVAPORATOR PLATES



Cooling units with plate evaporators can be adapted to the area to be refrigerated allowing more efficient use of available space - particularly useful in confined areas such as boats and caravans.

PT5

805mm (w) 230mm (h)

003028

PT7

1300mm (w) 290mm (h)

003033

WAECO CHEST FRIDGE/FREEZERS

- Soft-touch digital control panel with hard-wearing membrane keypad
- Secure locking mechanism
- Ergonomically shaped recessed grips and sturdy, detachable carrying grips
- Interior light
- Wire frame evaporator guard
- Detachable lift-up lid
- Utmost stability
- Temperature range: 50°C below ambient



CF18

300mm (w) 414mm (h) 465mm (l)
Weight: 11.5kg
Capacity: 18 ltr
Voltage: 12/24

003262



CF25

260mm (w) 425mm (h) 550mm (l)
Weight: 12kg
Capacity: 25 ltr
Voltage: 12/24

003263



CF-35AC

360mm (w) 385mm (h) 710mm (l) including handles
Weight: 15.8kg
Capacity: 32.5ltr
Voltage 12/24

034881



CF-40AC

360mm (w) 445mm (h) 710mm (l) including handles
Weight: 16.8kg
Capacity: 40 ltr
Voltage 12/24/240v

034882

**WAECO CHEST FRIDGE/
FREEZERS****CF-50AC**

360mm (w) 480mm (h) 760mm (l) including handles
Weight: 18kg
Capacity: 49 ltr
Voltage: 12/24/240v

034883**CF-60AC**

360mm (w) 580mm (h) 760mm (l) including handles
Weight: 21kg
Capacity: 59 ltr
Voltage: 12/24/240v

034884**CF-80AC**

503mm (w) 454mm (h) 940mm (l) including handles
Weight: 29kg
Capacity: 80 ltr
Temp Range: 50°C below ambient
Voltage: 12/24v/240v

034885**CF-110AC**

500mm (w) 555mm (h) 940mm (l) including handles
Weight: 32kg
Capacity: 106 ltr
Temp Range: 50°C below ambient
Voltage: 12/24v/240v

034886**WAECO CARRY BAGS**

Insulated protective cover with velcro and zip panels on various models for easy fitting and removal. Pockets on the sides (except CF80 - CF110) to store small items. Four fixing rings for securing fridge safely in a vehicle. Manufactured of high quality silver-grey Oxford nylon on the outside, aluminium coated polyester on the inside with robust rubber coated black nylon on the ends and base.

Suit CF25 **003282**
Suit CF35 **003283**
Suit CF40 **003284**
Suit CF50 **003285**
Suit CF60 **003286**
Suit CF80 **003287**
Suit CF110 **003288**

WAECO 12V CAR COOLERS

With a spacious interior and safe and secure fastening, these thermoelectric car coolers are ideal when travelling as snacks and drinks are readily on hand - they make an ideal armrest when fitted on the rear seat.

TCT 08SE

442mm (d) 200mm (w) 298mm (h)
Weight: 3.2kg
Power source: 12V DC
Capacity: 8 ltr

003290**WAECO FRIDGE SLIDE**

Secures your portable fridge to the vehicle while on the move but also enables convenient slide out access.

Suits CF30 to CF60. **003278**
Extends to 1420mm
Suits CF80 to CF110. **003279**
Extends to 1660mm

**WAECO THERMOELECTRIC
WARMER/
COOLERS**

Waeco CoolPro coolers are lightweight and feature a convenient carry handle. Special electronics with soft-touch operating panel and save-power mode make for ease of operation. Power on/off, cold/warm switch and individual temperature regulation with the 7 stage thermostat are standard features. All models have LED indicators showing temperature in the cabinet. The detachable lid allows fast access to contents.

Power Source: 12/24v DC or 240v AC
Cooling: Up to 30°C below ambient to 1°C minimum
Warming: Up to 65°C

TC-14FL

450mm (w) 328mm (h) 303mm (d)
Weight: 5kg
Capacity: 14 ltr

003291**TC-21FL**

450mm (w) 420mm (h) 303mm (d)
Weight: 6kg
Capacity: 21 ltr

003292

WAECO RAPID CHARGE CAR KIT



Heavy duty replacement for standard vehicle accessory sockets which can be inadequate to properly run fridges due to thin wiring and voltage drop. Includes 6m heavy duty 6mm cable. **003289**

ENGEL FREE-STANDING 12/24/240V FRIDGE/FREEZERS



Frame type door with replaceable teak panel. Interchangeable for left/right opening. 12V to 240v automatically selects mains power when connected.

ST-68E
547mm (h) 450mm (w) 458mm (d)
Cut out: 505mm (d)
Capacity: 57 ltr **003202**

ST-90E
780mm (h) 520mm (w) 548mm (d)
Cut out: 505mm (d)
Capacity: 85 ltr **003204**

ENGEL TRANSIT SLIDE LOK



The easy and simple way to secure your Engel portable fridge-freezer in your vehicle. Simple, self-locking mechanism with easy one touch release system.

Suits MT35 and MT45 **003456**

ENGEL BUILT-IN FRIDGE/FREEZERS



No exterior skin but with frame type door with replaceable door panel. Interchangeable for left/right opening. 12V to 240v automatically selects mains power when connected.

SR48F 12/24/240v
Overall: 544mm (h) 419mm (w) 500mm (d)
Cut Out: 510mm (h) 380mm (w) 455mm (d)
Capacity: 44 ltr **003199**

SR70F 12/24/240v
Overall: 552mm (h) 508mm (w) 547mm (d)
Cut Out: 517mm (h) 467mm (w) 547mm (d)
Capacity: 57 ltr **003201**

SR90E 12/24/240v
Overall: 770mm (h) 560mm (w) 548mm (d)
Cut Out: 747mm (h) 527mm (w) 491mm (d)
Capacity: 80 ltr **003203**

ENGEL COMBI CHEST 12/24/240V FRIDGE/FREEZERS



Separate fridge and freezer compartments. Thermostatically controlled fan provides cool air from the freezer section to maintain accurate refrigerator temperature. Features steel cabinet, lid and handles that can be used as tie down points. Supplied with both 12V and 240v cords with auto switching.

MT60F-C
External: 441mm (h) 790mm (w) 490mm (d)
Capacity: Fridge 32 litres
Freezer 25 litres **003217**

MT80F-C
External: 561mm (h) 790mm (w) 490mm (d)
Capacity: Fridge 42 litres
Freezer 33 litres **003219**

ENGEL CHEST TYPE 12/24/240v FREEZERS



MT25F



MT35S



MT60F

Engel chest type refrigerators utilise a unique energy efficient swing motor which uses little power and operates effectively even on steep grades. Auto switching between AC and DC is standard.

MT25F
Plastic cabinet
External: 462mm (h) 538mm (w) 306mm (d)
Capacity: 21 ltr **003213**

MT35S
Steel cabinet
External: 408mm (h) 631mm (d) 360mm (d)
Capacity: 32 ltr **003222**

MT45FS
Steel cabinet
External: 508mm (h) 631mm (w) 360mm (d)
Capacity: 39 ltr **003223**

MT60F
Steel cabinet
External: 441mm (h) 790mm (w) 490mm (d)
Capacity: 60 ltr **003216**

MT80F
With all steel cabinet
External: 561mm (h) 790mm (w) 490mm (d)
Capacity: 80 ltr **003218**

ENGEL TRANSIT BAGS

Zip on insulated cover protects fridge from bumps and scratches. Incorporates a comfortable seat and handy storage pocket. Helps fridge performance in hot weather and extends hold-down time for overnight stops.

Suits MT35F	003414
Suits MT45FS	003415
Suits MT45F (Grey)	003416
Suits MT60F	003418
Suits MT80F	003422
Suits MR40F (Eclipse)	037749

ENGEL ECLIPSE CHEST FRIDGE/FREEZER**MR40F**

Polypropylene cabinet. Build in tri-voltage 12/24v DC and 240v AC. Reversible lid. Includes DC and AC cords.

483mm (h) 636mm (w) 366mm (d)
Weight: 22kg
Capacity: 38 ltr

038064**ENGEL FRIDGE SLIDE**

Allows for both secure mounting and storage of fridge in vehicle. The slide allows the fridge to be easily moved while still secure. Complete with tie down straps.

Suits 30 - 40 ltr	003452
Suits 60 ltr	003453

ENGEL THERMO-ELECTRIC WARMER/COOLERS

12V. Ideal for picnics and road trips. Cools up to 22°C below ambient temperature. Warms up to +65°.

TE08

Seat belt slot for fastening. Easy to open with a magnetic lid. Includes twin can holders.

260mm (h) 440mm (w) 205mm (d)
Weight: 3kg
Capacity: 8 ltr

003197**CONSUL 240v/GAS TWO DOOR REFRIGERATOR/FREEZER**

1450mm (h) 595mm (w) 730mm (d)
Weight: 78kg
Capacity: 231 ltr incl. Freezer 30 ltr

003231**REFRIGERATOR FAN 3 VOLT**

Interior fan which prevents food spoiling due to poor air circulation in small caravan/boat refrigerators. Compact size, will run for more than 30 days on 2 "D" size batteries. **000687**

SOLAR FRIDGE FAN

Solar powered exhaust fan increases the cooling efficiency of refrigerator by venting hot air from coils. **000684**

ENGEL DIGITAL THERMOMETER

Provides both outside ambient and inside fridge-freezer temperature. Includes battery and 5 metre lead. **003423**

FRIDGE/FREEZER THERMOMETER

Has unique self-locking hanger which fastens to the shelf and can be read from any direction. Fahrenheit/Celsius scale. 102mm high. **003337**

FRIDGE BULLS EYE LEVEL

Clear plastic level which will show level of any surface. **000369**

FRIDGE RETAINING BARS

Keep jars and bottles secure while travelling. Spring loaded rails with rubber tips. Extends from 394 to 711mm

Single bars. Pack of 3	003356
Double bars	003357

FRIDGE SWITCH

Using this sensor the 12V circuit of a 3 way caravan fridge is switched on when the vehicle moves and switched off when the vehicle stops. Easy to install. **003335**

LEMAIR MINI WASHING MACHINE



Ideal for small spaces. Portable. Fully automatic, 3 wash cycles, fast spin and variable water selection and wash completion alarm. 1 year warranty.
695mm (h) 438mm (w) 438mm (d).
Weight: 18kg
Capacity: 2.2kg
240 volt

039041

MINI WASHING MACHINE



Benchtop model. 1kg capacity - great for use anywhere.

038485

Inverter converts 12V DC to 240v AC at 300w using 12V car battery.

038486

Dometic WASHING MACHINE - FRONT LOADING



Space saving design. Freestanding or can be installed under a work bench. Economy and quick wash options with 9 different programs and 7 temperature options. 240 volt only.

670mm (h) 495mm (w) 515mm (d)
Weight: 54kg
Capacity: 3kg load

033474

WASHING MACHINE - 240V TWIN TUB



- Twin tub
- 240V operation
- 2kg capacity
- Wash and spin can work simultaneously
- Size: 550mm H x 340mm x 550mm

039698

Dometic POP TOP ROOF MOUNTED AIR CONDITIONER B1900S



Lightweight, aerodynamic, modern design with ultra low profile. Easy and fast installation. Inside air vents sit flush with roof when unit is turned off. Suitable for vans to 5m (external).

NB Modifications to your pop-top may be required when installing this unit.

Cooling capacity: 1.9kW approx
Heating capacity: 1.2kW approx
Weight: 30kg approx

Roof Section:
950mm (l) 625mm (w) 235mm (h)

026413

Dometic ROOF TOP AIR CONDITIONER B3253



Ultra low aerodynamic profile with a compact interior panel which allows more headroom. The 3 speed fan is quiet and provides controlled air circulation at the temperature you desire with no more hot spots as the automotive style air louvres direct air flow just where it is needed. Features both a tough plastic outer shroud and a reinforced base pan built to handle Australian conditions.

Heating Capacity: 1.6kw/3.2kw
Cooling Capacity: 3kw.3.2kw
Weight: 50kg approx.

Roof Opening:
360mm (l) 360mm (w)

Protruding Roof Section:
1015mm (l) 730mm (w) 265mm (h)

Inside Box:
560mm (l) 510mm (w) 64mm (h)

035689

Dometic

DIESEL ROOM HEATER




- Delivers 2.2kW of hot air
- Slow fan speed for quiet operation and fuel economy.
- Automatic temperature control with pre-set facility
- Fuel supplied from towing vehicle
- Can be operated whilst on the move.
- Small, compact design allows easy space-saving installation in the RV or under the floor.
- 310mm (l) 115mm (w) 122mm (h) Weight 2.7kg

D2 Twin Outlet

033884

AIR COMMAND HERON SPLIT SYSTEM AIR CONDITIONERS



Lightweight split system air conditioning unit which can be installed under bunks, in cupboards or under seating. The air register has adjustable louvres to direct air flow. Compact in size with low profile condenser unit. Facia panel is finished in brilliant white.

Heron 2.2

Suitable for caravans, motor homes and pop tops up to 5.36m (external)

Cooling output: 2.7kw
Heating output: 1.5kw
Weight: 34kg
Facia Panel: 490mm (w) 270mm (h)

002457

Heron 2.2 Silver

Same specifications as the Heron 2.2 but comes with a silver facia. 002487

Heron Q 2.5

Suitable for heating and cooling fully insulated caravans and motor-homes up to 7m. Full remote control. 3 fan speeds for cooling. Low speed condenser fan for lower noise emissions. 24 hour timer, dry mode to control humidity with an easy to read LCD screen. Sleep mode. Dehumidifier setting to help asthma sufferers. Auto fan speed on heating and cooling. Remote controlled adjustable louvres.

Cooling output: 3.2kW
Heating output: 3.2kW
Weight: 40kg
Facia Panel: 490mm (w) 270mm (h)

002489

Heron 3.0

Suitable for caravans, motor homes and pop tops up to 7m. Will give year round comfort with its ventilating, cooling and heating modes.

Cooling output: 3.2kW
Heating output: 1.5kW
Weight: 40kg
Facia Panel: 490mm (w) 270mm (h)

002476

AIR COMMAND KINGFISHER AIR CONDITIONER



2.5kw reverse cycle air conditioner, suitable for heating and cooling fully insulated caravans and motorhomes up to 7m (external). Full remote control. 3 fan speeds for cooling. Low speed condenser fan for lower noise emissions. 24 hour timer. Sleep mode. Dehumidifier setting to help asthma sufferers. Auto fan speed on heating and cooling. Remote controlled adjustable louvres.

Heating capacity: 3.2 kw
Cooling capacity: 3.2kw
Weight: 52kg

595mm (h) 485mm (w) 550mm (l)

Facia Panel:
625mm (h) 520mm (w)

002495

AIR COMMAND CORMORANT ROOF MOUNTED AIR CONDITIONER



Created specifically for the Australian market this is an affordable reverse cycle roof top air conditioner that is packed full of features. The Cormorant has high efficiency and provides one of the most economical forms of heating. The Cormorant is suitable for heating and cooling fully insulated caravans and motor homes up to 23ft (external). Remote controlled, fitted with built in compressor protection against intermittent power supply, designed to dehumidify the air to help asthma sufferers and is fitted with a stylish internal plenum.

Heating capacity: 3.5 kw
Cooling capacity: 4.2kw
Weight: 47kg

346mm (h) 740mm (w) 1150mm (l)

Plenum assembly:
75mm (h) 570mm (w) 650mm (l)

002497

AIR COMMAND AIR CONDITIONER IBIS



Provides heating and cooling as well as filtered and dehumidified air. The refrigerative heat pump produces up to 40% more heat than element type units. Light weight with ultra low profile ensuring less drag when towing and greater clearance under a carport or garage. The new state of the art plenum is packed full of user friendly features such as flip down electronic controls, making it easy to set various functions and easily removable return air filters allowing quick servicing. Supplied with a slimline remote control.

Heating capacity: 3.2 kw
Cooling capacity: 3.2kw
Weight: 45kg

220mm (h) 825mm (w) 1040mm (l)

Plenum assembly:
65mm (h) 555mm (w) 535mm (l)

002496

AIR COMMAND SPARE PARTS

Wren Air Conditioner

Speed control capacitor 002407
Rotary switch 002411
Filter 002415
Control knob 002445

ROOF MOUNTED H-FRAME



Provides external reinforcement to caravan roofs when fitting a roof mounted air conditioner. Easy to fit and recommended for use on caravans travelling for extended periods. Suits all roof mounted air conditioners.

002523

BOSCH INSTANTANEOUS GAS WATER HEATERS



W125
Over sink or multi point, push button controls. Supplies up to 300 ltr per hour. 645mm (h) 270mm (w) 230mm (d) deep
003562

SUBURBAN STORAGE WATER HEATERS



Steel tank with porcelain lining. Replaceable anode rod for corrosion protection. Easy access. Foam tank insulation. High recovery rate (36 ltr per hour).

GAS
SW6PA - 22.6 ltr capacity. Manual ignition. **003613**
SW6D - 22.6 ltr capacity. Direct spark ignition. **003618**
Aluminium anode rod. **0035975**

DUAL LP GAS/240V
12V direct spark ignition. 320mm (h) 320mm (w) 500mm (d) 22.6 ltr capacity. **003619**

TRUMA STORAGE WATER HEATERS



14 litre stainless steel tank. Heats to 70°C. 320mm (h) 350mm (w) 350mm (d). Dual LP Gas and 240v **026453**

HENRY 9 LITRE HOT WATER HEATER



Compact 9 ltr 240 volt / gas operation hot water heater with 12 volt ignition suitable for shower or family washing. Installed through wall so only the flue is visible from outside. Easy to install. Weight: 7kg. Dimensions: 257mm (w) x 275mm (h) x 580 (d). 830 watt heating element. 16psi max water pressure. Ideal replacement for existing Carver HWS as same dimensions. **038545**

ADJUSTABLE PRESSURE REDUCING VALVE



EB35. 1/2" FBSP. 110-550KPA. Recommended to be used with Henry hot water service part no. 038545. **039245**

WATER HEATER TEMPERING VALVE



EB35. 1/2". Blue cap. Recommended for all hot water services on the outlet side. **039244**

EDSON MP9 240v STORAGE WATER HEATER



9 ltr capacity. Mains pressure with automatic thermostat control. Automatic over temperature safety cut out. 2000 watt. 430mm (h) 210mm (w) 210mm (d)
MP9V - Vertical Mount **003638**
MP9H - Horizontal Mount **003634**

240v RV INSTANT HOT WATER TAP



Instant hot and cold running water for your caravan or RV. Simply replace your tap and connect to 240v. Eliminates water wastage. Operates on pump pressure. Replaces hot water system or standard cold water tap. 12 months replacement warranty. 16psi (110kpa). **034382**

MAXCO TUDOR LP GAS STOVE



2 burners and separate grill. Stainless steel. Low pressure - regulator required 430mm (w) 325mm (d) 194mm (h) T2S rear entry **002692**

LIDO JUNIOR LP GAS STOVE



2 burner and grill, stainless body with painted base and hinged lid. Also available with sea rail for marine use. 500mm (w) 280mm (d) 170mm (h) **002721**

SAIEV SRL 7000 SERIES LP
GAS STOVE


White. 4 burner, oven and grill. Optional glass bi-fold lid.
390mm (h) + 95mm pan supports
486mm (w) 415mm (d)

002588

White Bi-fold Glass Lid

002592

SAIEV SRL STAINLESS STEEL
3 BURNER OVEN/
GRILL

**NOT
SUITABLE
FOR MARINE
USE**



304 grade s/steel. Compact and lightweight. Control knobs located on front panel for ease of operation. 12V electronic ignition to oven, grill and burners. Flame failure safety cutout to all burners. Oven light. Weighs 19kg.
390mm (h) +95mm pan supports
486mm (w) 415mm (d)

002590

SAIEV SRL STAINLESS STEEL
MARINE 3 BURNER/
GRILL/OVEN


Approved for marine installations. All 316 grade stainless steel. Oven with grill and rotisserie. Door lock, heat guard and oven light. Flame failure device to all burners. Ignition to all burners. Patented gimbals and pot holders.
485mm (h) 486mm (w) 415mm (d)

002840

SAIEV SRL STAINLESS
STEEL MINI GRILL


304 grade s/steel. Compact with two position grill tray and piezo ignition.
240mm (h) 485mm (w) 425mm (d)

002597

SAIEV SRL OVEN AND GRILL


Oven thermostat. Glass front drop down door and stainless steel (304 grade) fascia. The grill is an integral part of the oven space allowing the oven to be located below or level with the cook top. Recess required: 460mm (h) 500mm (w) 480mm (d)

002841

SAIEV SRL 3 BURNER STOVE
AND SINK COMBO


304 grade s/steel. Space saving with glass lid and flame failure safety device. Tap not included.

150mm (h) 970mm (w) 430mm (d)

002795

Glass lid for hotplate

002790

Glass lid for sink

002791

SAIEV SRL DROP IN STOVES


304 grade s/steel drop in stove with glass lid.

2 BURNER

480mm (w) 370mm (d) 90mm (h) 002843

3 BURNER

560mm (w) 440mm (d) 90mm (h) 002846

**CAMEC 12V STAINLESS STEEL
RANGEHOOD**


Top vent. 2 halogen lights. 1 metre of flexible tubing included.

590mm (w) 310mm (d) 60mm (h)

003511

Rangehood duct tube - black

003515

Dometic
RANGE HOOD MODEL CK150


Flush mount. Powerful performance. Integrated halogen light. 1 speed fan. Silent 12V operation. Easy installation with removable washable filter.

375mm (w) 140mm (d) 50mm (h)

017022

Dometic ORIGO METHO MARINE STOVES

Stainless steel stoves ideal for marine use - safe and easy to use, compact and built to last. Fuel is absorbed and bound in a non-flammable mineral wool material and the spirit is drawn to the surface by capillary action. No dangerous pressure methods are used. Compact design and high heating power. Easily installed with integrated safety fuel canister with 1.2 litre capacity.

ORIGO 1500



Single burner freestanding benchtop stove.
228mm (h) 262mm (d) 236mm (w)
282mm (w) with Gimbal

002870

ORIGO 2000



Single burner stove for built in applications.
Available with or without hinged cover of
tempered glass.
150mm (h) 396mm (w) 150mm (d)
Cut out: 345mm (w) 325mm (d)

002873

ORIGO 6000



2 burner marine stove including oven. Easily
fitted. Gimbal mounting comes as standard.
562mm (h) 465mm (w) 335mm (d)

034898

ORIGO 3000



2 burner freestanding benchtop stove.
137mm (h) 262mm (d) 464mm (w)
510mm (w) with Gimbal

035712

ORIGO 4100



2 burner stove for built in applications.
150mm (h) 623mm (w) 377mm (d)
Cut out: 575mm (w) 325mm (d)

035713

ORIGO FUEL CONTAINERS



Specially designed and filled with an
absorbent material, holding 1.2 litres of fuel.
Leak-proof, even when held upside down.

036804